

Billing Code 4333-15

DEPARTMENT OF THE INTERIOR

Fish and Wildlife Service

[FWS-R4-ES-2017-N004; FXES11140400000-189-FF04E00000]

**Endangered Species Recovery Permit Applications** 

**AGENCY:** Fish and Wildlife Service, Interior.

**ACTION:** Notice of receipt of permit applications; request for comment.

**SUMMARY:** We, the U.S. Fish and Wildlife Service, invite the public to comment on the following applications to conduct certain activities with endangered species. With some exceptions, the Endangered Species Act (ESA) prohibits activities with listed species unless a Federal permit is issued that allows such activities. The ESA requires that we invite public comment before issuing these permits.

**DATES:** We must receive written data or comments on the applications at the address given in **ADDRESSES** by [INSERT DATE 30 DAYS AFTER DATE OF PUBLICATION IN THE FEDERAL REGISTER].

**ADDRESSES:** *Reviewing Documents:* Documents and other information submitted with the applications are available for review, subject to the requirements of the Privacy Act and Freedom of Information Act, by any party who submits a written request for a copy of such documents to the following office within 30 days of the date of publication of this notice (see **DATES**): U.S. Fish and Wildlife Service Regional Office, Ecological

1

Services, 1875 Century Boulevard, Atlanta, GA 30345 (Attn: Karen Marlowe, Permit Coordinator).

Submitting Comments: If you wish to comment, you may submit comments by any one of the following methods:

- *U.S. mail or hand-delivery:* U.S. Fish and Wildlife Service's Regional Office (see above).
- *Email:* permitsR4ES@fws.gov. Please include your name and return address in your email message. If you do not receive a confirmation from the U.S. Fish and Wildlife Service that we have received your email message, contact us directly at the telephone number listed in **FOR FURTHER INFORMATION CONTACT**.

**FOR FURTHER INFORMATION CONTACT:** Karen Marlowe, Permit Coordinator, 404–679–7097 (telephone) or 404–679–7081 (fax).

SUPPLEMENTARY INFORMATION: We invite review and comment from local, State, and Federal agencies and the public on applications we have received for permits to conduct certain activities with endangered and threatened species under section 10(a)(1)(A) of the Endangered Species Act of 1973, as amended (16 U.S.C. 1531 et seq.; ESA), and our regulations in the Code of Federal Regulations (CFR) at 50 CFR part 17. With some exceptions, the ESA prohibits activities with listed species unless a Federal permit is issued that allows such activities. The ESA requires that we invite public comment before issuing these permits.

## **Public Availability of Comments**

Before including your address, phone number, email address, or other personal identifying information in your comment, you should be aware that your entire comment—including your personal identifying information—may be made publicly available at any time. While you can ask us in your comment to withhold your personal identifying information from public review, we cannot guarantee that we will be able to do so.

## **Permit Applications**

Permit Application Number	Applicant	Species/Numbers	Location	Activity	Type of Take	Permit Action
TE 63577A-2	Mammoth Cave National Park, Mammoth Cave, KY	Gray bat (Myotis grisescens), Indiana bat (M. sodalis), northern long-eared bat (M. septentrionalis)	Alabama, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, Tennessee, and Virginia	Presence/ absence surveys	Enter hibernacula, salvage dead bats, capture with mist nets or harp traps, handle, identify, collect hair samples, band, radio-tag, PIT- tag, light tag, and wing- punch.	Renewal and Amendment
TE 57873C-0	Arkansas Natural Heritage Commission, Little Rock, AR	Yellowcheek darter (Etheostoma moorei)	Arkansas	Presence/ absence surveys	Capture, handle, identify, weigh, measure, and release.	New
TE 102292- 13	Jeremy L. Jackson, Richmond, KY	Gray bat ( <i>Myotis grisescens</i> ), Indiana bat ( <i>M. sodalis</i> ), northern long-eared bat ( <i>M. septentrionalis</i> ), and Virginia big- eared bat ( <i>Corynorhinus</i> townsendii virginianus)	Alabama, Arkansas, Connecticut, Delaware, Florida, Georgia, Illinois, Indiana,	Presence/ absence surveys, studies to document habitat use,	Enter hibernacula or maternity roost caves, salvage dead bats, capture with	Renewal

			Iowa, Kansas,	and	mist nets or	
			Kentucky,	population	harp traps,	
			Louisiana, Maine,	monitoring	handle, identify,	
			Massachusetts,	monitoring	collect hair	
			Michigan,		samples, band,	
			Minnesota,		radio-tag, light-	
			Mississippi,		tag, and wing-	
			Missouri,		punch.	
			Montana,			
			Nebraska, New			
			Hampshire, New			
			Jersey, New			
			York, North			
			Carolina, North			
			Dakota, Ohio,			
			Oklahoma,			
			Pennsylvania,			
			Rhode Island,			
			South Carolina,			
			South Dakota,			
			Tennessee, Texas,			
			Vermont,			
			Virginia, West			
			Virginia,			
			Wisconsin, and			
			Wyoming			
TE 066980-5	J.W. Jones	Red-cockaded woodpecker	Georgia	Population	Capture, band,	Renewal
	Ecological	(Picoides borealis)	Scorgiu	management	construct, and	1 CHO W UI
	Research	(1 totales boreaus)		and	monitor	
	Center,			monitoring	artificial nest	
	*			monitoring	cavities and	
	Newton, GA				cavines and	

					restrictors, translocate, and buccal swab.	
TE 56749B-2	Patrick R. Moore, Harrison, AR	Gray bat (Myotis grisescens), Indiana bat (M. sodalis), northern long-eared bat (M. septentrionalis), Ozark big-eared bats (Corynorhinus townsendii ingens), and Virginia big-eared bats (C. t. virginianus)	Alabama, Arkansas, Delaware, Florida, Georgia, Illinois, Indiana, Iowa, Kansas, Kentucky, Louisiana, Maryland, Michigan, Minnesota, Mississippi, Missouri, New Jersey, New York, North Carolina, Ohio, Oklahoma, Pennsylvania, South Carolina, Tennessee, Texas, Vermont, Virginia, West Virginia, and Wisconsin	Presence/absence surveys, studies to document habitat use, population monitoring, and to evaluate potential impacts of white-nose syndrome or other threats	Enter hibernacula or maternity roost caves, salvage dead bats, capture with mist nets or harp traps, handle, identify, collect hair samples, band, radio tag, light- tag, swab, and wing-punch.	Renewal
TE 206872-9	Joy M. O'Keefe,	Gray bat ( <i>Myotis grisescens</i> ), Indiana bat ( <i>M. sodalis</i> ), northern	Alabama, Arkansas,	Presence/ absence	Enter hibernacula or	Renewal
	Indiana State	long-eared bat (M.	Connecticut,	surveys,	maternity roost	
	University,	septentrionalis), and Virginia big-	Delaware, District	studies to	caves, salvage	

	Terre Haute,	eared bat (Corynorhinus	of Columbia,	document	dead bats,	
	IN	townsendii virginianus)	Florida, Georgia,	habitat use,	capture with	
			Illinois, Indiana,	population	mist nets or	
			Iowa, Kansas,	monitoring,	harp traps,	
			Kentucky,	and to	handle, identify,	
			Louisiana, Maine,	evaluate	collect hair	
			Maryland,	potential	samples, band,	
			Massachusetts,	impacts of	radio tag, light-	
			Michigan,	white-nose	tag, swab,	
			Minnesota,	syndrome or	fungal lift tape,	
			Mississippi,	other threats	and wing-	
			Missouri,		punch.	
			Montana,			
			Nebraska, New			
			Hampshire, New			
			Jersey, New			
			York, North			
			Carolina, North			
			Dakota, Ohio,			
			Oklahoma,			
			Pennsylvania,			
			Rhode Island,			
			South Carolina,			
			South Dakota,			
			Tennessee,			
			Vermont,			
			Virginia, West			
			Virginia,			
			Wisconsin, and			
			Wyoming			
TE 61573C-0	University of	Louisiana quillwort (Isoetes	DeSoto National	Anatomic and	Collect leaf	New

	Southern	louisianensis)	Forest,	genetic	fragments, root	
	Mississippi,		Mississippi	studies.	tips,	
	Hattiesburg,				megaspores,	
	MS				and a whole	
					individual	
					voucher	
					specimen.	
TE 64393C-0	Vanesse	Florida bonneted bat (Eumops	Alabama,	Presence/abse	Capture with	New
	Hangen	floridanus), gray bat (Myotis	Arkansas,	nce surveys	mist nets,	
	Brustlin, Inc.,	grisescens), Indiana bat (M.	Connecticut,		handle, identify,	
	South	sodalis), northern long-eared bat	Delaware, District		band, and radio-	
	Burlington, VT	(M. septentrionalis), Virginia big-	of Columbia,		tag.	
		eared bat ( <i>Corynorhinus</i>	Florida, Georgia,			
		townsendii virginianus)	Illinois, Indiana,			
			Iowa, Kentucky,			
			Louisiana, Maine,			
			Maryland,			
			Massachusetts,			
			Michigan,			
			Minnesota,			
			Mississippi,			
			Missouri, New			
			Hampshire, New			
			Jersey, New			
			York, North			
			Carolina, Ohio,			
			Pennsylvania,			
			Rhode Island,			
			South Carolina,			
			Tennessee,			
			Vermont,			

			Virginia, West			
			Virginia, and			
			Wisconsin			
TE 94704A-2	_	Gray bat (Myotis grisescens),	Alabama,	Presence/abse	Bats: Enter	Renewal
	Brown,	Indiana bat (M. sodalis), northern	Arkansas,	nce surveys,	hibernacula or	
	Woodstock,	long-eared bat (M.	Connecticut,	white-nose	maternity roost	
	GA	septentrionalis), Virginia big-	Delaware, District	syndrome and	caves, salvage,	
		eared bat (Corynorhinus	of Columbia,	genetic	capture with	
		townsendii virginianus), Carolina	Florida, Georgia,	research,	mist nets or	
		northern flying squirrel	Illinois, Indiana,	studies to	harp traps,	
		(Glaucomys sabrinus coloratus),	Iowa, Kansas,	document	handle, identify,	
		and bog turtle (Clemmys	Kentucky,	habitat use,	collect hair	
		muhlenbergii)	Louisiana, Maine,	and	samples, band,	
			Maryland,	population	pit-tag, radio-	
			Massachusetts,	monitoring	tag, light-tag,	
			Michigan,		wing-punch,	
			Minnesota,		and swab for	
			Mississippi,		white-nose	
			Missouri,		syndrome	
			Montana,		testing;	
			Nebraska, New		Carolina	
			Hampshire, New		northern flying	
			Jersey, New		squirrel:	
			York, North		Capture, handle,	
			Carolina, North		ear-tag, pit-tag,	
			Dakota, Ohio,		radio-tag,	
			Oklahoma,		collect fur and	
			Pennsylvania,		tissue samples,	
			Rhode Island,		and conduct den	
			South		surveys; Bog	
			Carolina, South		turtle: Capture,	

			Dakota,		mark, pit-tag,	
			Tennessee,		and radio-tag.	
			Vermont,			
			Virginia, West			
			Virginia,			
			Wisconsin, and			
			Wyoming			
TE 56746B-3	Joseph S.	Gray bat (Myotis grisescens),	Alabama, Ohio,	Presence/abse	Capture with	Renewal and
	Johnson, Ohio	Indiana bat (M. sodalis), and	and Pennsylvania	nce surveys,	mist nets,	Amendment
	University,	northern long-eared bat (M.		studies to examine the	handle, identify,	
	Athens, OH	septentrionalis)			band, nano tag,	
				impact of fire	radio-tag, and wing-punch.	
				management and forest	wing-punch.	
				thinning on		
				these bat		
				species, and		
				fall migration		
				studies		
TE 64767C-0		Red-cockaded woodpecker	Florida, Georgia,	Population	Capture, band,	New
	Collins,	(Picoides borealis)	North Carolina,	management	construct,	
	Columbia, SC		and South	and	install, and	
			Carolina	monitoring	monitor	
					artificial nest	
					cavities and	
					restrictors, and	
					translocate.	
TE 37900B-1	Sarah A.	Red-cockaded woodpecker	Osceola National	Population	Capture, band,	Renewal
	Lauerman,	(Picoides borealis)	Forest, Florida	management	monitor nest	
	Gainesville, FL			and	cavities, and	
				monitoring	translocate.	

TE 94728A-1	Environmental Consulting Operations, Inc., Benton, AR	American burying beetle (Nicrophorus americanus)	Arkansas	Presence/ absence surveys	Trap and release.	Renewal
TE 48579B-4	Ecological Solutions, Inc., Roswell, GA	Gray bat (Myotis grisescens), Indiana bat (M. sodalis), and northern long-eared bat (M. septentrionalis)	Alabama, Arkansas, Connecticut, Delaware, District of Columbia, Florida, Georgia, Illinois, Indiana, Iowa, Kansas, Kentucky, Louisiana, Maine, Maryland, Massachusetts, Michigan, Minnesota, Mississippi, Missouri, Montana, Nebraska, New Hampshire, New Jersey, New York, North Carolina, North Dakota, Ohio, Oklahoma, Pennsylvania, Rhode Island,	Presence/ absence surveys, studies to document habitat use, population monitoring, and white- nose syndrome surveillance	Enter hibernacula or maternity roost caves, salvage dead bats, capture with mist nets or harp traps, handle, identify, collect hair samples, band, radio-tag, light- tag, swab, and wing-punch.	Renewal

			South Carolina, South Dakota, Tennessee, Vermont, Virginia, West Virginia, Wisconsin, and Wyoming			
TE 80381A-1	Department of Defense (Army), Fort Campbell, KY	Gray bat (Myotis grisescens), Indiana bat (M. sodalis), and northern long-eared bat (M. septentrionalis)	Fort Campbell, Kentucky	Presence/ absence surveys, studies to document habitat use, and population monitoring	Enter hibernacula or maternity roost caves, capture with mist nets, band, and radio- tag.	Renewal

## **Authority:**

We provide this notice under section 10(c) of the Act.

## Leopoldo Miranda,

Assistant Regional Director,

Ecological Services, Southeast Region. [FR Doc. 2018-03302 Filed: 2/16/2018 8:45 am; Publication Date: 2/20/2018]